

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L2	2791	701/200-201.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM TDB	2007/04/26 16:20
2	BRS	L3	191	701/206.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM TDB	2007/04/26 16:20
3	BRS	L4	1786	701/207.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM TDB	2007/04/26 16:20
4	BRS	L5	2731	701/208-209.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM TDB	2007/04/26 16:21
5	BRS	L6	1228	701/211.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM TDB	2007/04/26 16:21
6	BRS	L7	2205	701/213.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM TDB	2007/04/26 16:21

10/714,527

	Type	L #	Hits	Search Text	DBs	Time Stamp
7	BRS	L9	1954	340/988.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM TDB	2007/04/26 16:23
8	BRS	L10	582	340/995.1.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM TDB	2007/04/26 16:23
9	BRS	L11	130	340/995.12.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM TDB	2007/04/26 16:24
10	BRS	L12	181	340/995.13.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM TDB	2007/04/26 16:24
11	BRS	L13	563	340/995.18-995.19.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM TDB	2007/04/26 16:26
12	BRS	L14	1672	455/403.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM TDB	2007/04/26 16:26

	Type	L #	Hits	Search Text	DBs	Time Stamp
13	BRS	L15	2254	455/414.1.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2007/04/26 16:27
14	BRS	L16	287	455/414.3.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2007/04/26 16:27
15	BRS	L19	172	(2 or 3 or 4 or 5 or 6 or 7 or 9 or 10 or 11 or 12 or 13 or 14 or 15 or 16) and ((connect\$3 or connection or disconnect\$4 or ((suspend\$4 or paus\$4) with connect\$3 or connection)) same ((origin\$3 or present or current) with (location or position)) same destination same (((provid\$4 or generat\$4 or determin\$5) with (navigat\$5 or route))))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2007/04/26 16:35
16	BRS	L20	301	((connect\$3 or connection or disconnect\$4 or ((suspend\$4 or paus\$4) with connect\$3 or connection)) same ((origin\$3 or present or current) with (location or position)) same destination same (((provid\$4 or generat\$4 or determin\$5) with (navigat\$5 or route))))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2007/04/26 16:38

	Type	L #	Hits	Search Text	DBs	Time Stamp
17	BRS	L22	0	((navigation with information) same processor same generat\$4) and (suspending with connection) and (stor\$3 same destination same position) and (reestablish\$4 same connection)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2007/04/26 16:45
18	BRS	L23	0	((navigation with information) same processor same generat\$4) and (suspending with connection) and (stor\$3 same destination same position) and (reestablish\$4 same connection).clm.	US-PGPUB; USPAT	2007/04/26 16:45